

KOMANEKA *at Monkey Forest*

KODOK SAWAH

Rice Field Frog

Fejervarya cancrivora


Kodok Sawah is an amphibian that lives a lot in rice fields, swamps, and ditches to mangrove swamps. They have rough skin and nodules or knuckles, often dry, and their hind legs are often short, so that most frogs are not good at jumping far.

Adult males are about **60 mm** and mature females are around **70-80 mm** and weigh about **1.5 to 3 ounces**.

In general, they are harmless animals.

Their favorite time is rainy season, they will make sounds and shout back and forth with other frogs.

Latin Name : *Fejervarya cancrivora*



KATAK

Frog

Anura

Frogs are insect-eating amphibians that live in fresh water or on land. They have a smaller body than frogs but have longer legs, that's why they can jump higher than frogs.

Toads and frogs live widely, especially in hot tropical areas. Frogs are not dangerous, but frogs can jump high, secrete mucus and poison from glands in their skin and some even produce a thick, sticky mucus, so that the predator's mouth will stick tightly and be difficult to open. The level of environmental pollution in an area can be seen from the number of frog populations that can be found in that area. The more polluted an area the more difficult it is to find frogs, because they are sensitive to polluted water.

Latin Name : *Anura*



KADAL


Lizard

Eutropis multifasciata

Lizards are a widespread group of squamate reptiles, with over 7,000 species. Most lizards are quadrupedal, running with a strong side-to-side motion. Lizards are mainly carnivorous, often being sit-and-wait predators; many smaller species eat insects.

The size of lizard may vary ranges from a few centimetres to nearly **3 m (10 ft)** Its weight less than **0.5 gram (0.02 ounce)** to more than **150 kg (330 pounds)**. Most lizard species are harmless to humans. Only the largest lizard species, the **Komodo dragon**, which reaches **3.3 m (11 ft)** in length and weighs up to **166 kg (366 lb)**, has been known to stalk, attack, and, on occasion, kill humans. Many lizards attempt to escape from danger by running to a place of safety for example, wall lizards can run up walls and hide in holes or cracks.

Latin Name : *Eutropis multifasciata*



KOMANEKA *at Monkey Forest*

BIAWAK AIR

Water Monitor Lizard

Varanus salvator

Biawak Air *Varanus salvator* is a type of monitor lizard that is widespread in South Asia and Southeast Asia. This lizard is the most common type of monitor lizard found in various regions in Indonesia and is often close to human habitation. The body length from the snout to the tip of the tail is generally around **1 - 2.5 meters** and weighs up to **19 kg**. Its favorite habitat is riverbanks or forest swamps.

They are good at swimming and climbing trees and is often seen active during the day. Its main food is squirrels, mice, birds, small reptiles, frogs, fish and river crabs.

They are harmless, but if someone tries to hold them, they will wag their tail hard like a whip at the intruder.

Latin Name : *Varanus salvator*

